**EN** | 2020

# IMPULSE

VALID FROM 01.04. - 31.07.2020




facebook.com/**GEDOREred** instagram.com/gedore\_red










**GEDORE BEST CHOICE** 

# TOOLSET IN WORKSHOP TROLLEY MECHANIC R2156 0005

The tool set together with the safe, clearly-arranged and mobile MECHANIC tool trolley in GEDORE red's black matt special edition provides an extensive basic equipment range for any workshop.

Three of the six drawers are pre-equipped in a practical manner with the foam modules of the 129-piece tool range which includes: 1/4" + 1/2" socket set including 2C-lever reversible ratchet, extension pieces and additional accessories, screwdriver, pliers, hammer and cutting tool set as well as a ring ratchet and double, open-ended spanner set.







All drawers are 482 mm wide and 345 mm deep. Each drawer has a 25 kg load bearing capacity and thanks to a full telescopic extension the entire contents of the drawer are visible. The two high, lower drawers can also hold large-sized tools and equipment.

The individual locking device - unlockable only by a concealed release bar prevents the drawer being opened when the trolley is in motion. Drawers and their contents are additionally secured by a central locking system. Security is complemented by convenience. The special drive/steering handle and two large swivel castors ensure that pushing and pulling is no longer strenuous.



# **R2015** 2006 WORKSHOP TROLLEY MECHANIC

#### 6 drawers, black, matt

- > Compact tool trolley for use in the workshop
- > Tool storage and mobile working station in one
- > Durable and highly resistant, strong sheet steel construction
- > Working platform with ABS top
- > For further accessories sides with Euro square perforation
- > Drawers with full telescopic extension are secured with individual locking and central locking with cylinder lock
- > Ample storage space in each of the drawers of a 25 kg load-bearing capacity
- > Considerable stability from 2 swivel casters Ø 100 mm of which one has a double-stop wheel lock, and 2 side-projecting castors Ø 125 mm
- > Special edition in black-matt

















Code	No.	RAL	Height mm	Width mm	Depth mm	Drawers	Max. load-bearing capacity kg	Number of drawers	Weight kg
3300012	R20152006	3020/7016	910	628	418	4 x H = 69mm 1 x H = 144mm 1 x H = 218mm	210	6	56



# **R2156** 0005 **TOOL SET IN WORKSHOP TROLLEY MECHANIC**

#### 129 pieces

- > As basic equipment for the workshop:
- > Compact workshop trolley with a multi-functional set of tools
- > Three fitted foam modules for orderliness and safety at the place of work
- > Optical completeness thanks to 2-colour foam inserts
- > Ample storage space in each of the variably partitionable drawers of a 25 kg load-bearing capacity
- > Four drawers for tools, three of which are pre-equipped
- > Two high drawers for large-sized equipment
- > Everything in the compact, manoeuvrable workshop trolley R20152006 MECHANIC of the design edition
- > Detailed listing of the contents on page 05



































Code	No.	Height mm	Width mm	Depth mm	Contents	Drawers	Number of drawers	Pieces	Weight kg
3300031	R21560005	910	628	418	R22350000 Tool set sockets, ratchet, accessories 1/4" -1/2" R22350005 Tool set screwdrivers, pliers, hammer, chisel R22350006 Tool set ratchet wrenches, double open-ended spanner	4 x H 69 mm 1 x H 144 mm 1 x H 218 mm	6	129	70

# **R2040** 0006 **WORKSHOP TROLLEY MECHANIC PLUS**

#### with 6 drawers

- > Amply-sized tool trolley with lots of extra storage space
- > Storage and mobile working station in one
- > Strong sheet steel construction with large wooden storage surface
- > Ample space in six drawers each of a 25 kg load-bearing capacity and an adjustable intermediate shelf in the storage space
- > Four individually partitionable tool drawers, two deep drawers for large-sized equipment
- > Thanks to the full telescopic extension, the entire drawer can be accessed
- > Drawers secured with individual locking and central locking with cylinder lock











Code	No.	RAL	Height mm	Width mm	Depth mm	Drawers	Max. load-bearing capacity kg	Number of drawers	Shelves	Worktop thickness mm	Pieces	Weight kg
3301818	R20400006	3020 / 7016	935	988	431	4 x H 69 mm 1 x H 144 mm 1 x H 218 mm	210	6	1	30	1	81

## Individual components at a glance

R22350000 / R22350005 / R22350006





R2235 0000 SOCKET SET 1/4" + 1/2" AND ACCESSORIES in the 3/3 foam module, 84 pieces

1/4" 2C lever reversible ratchet fine-tooth, 72 teeth | 150 mm 1/4" square plug-in handle 165 mm 1/4" socket

hexagon 4 4.5 5 5.5 6 7 8 9 10 11 12 13 14

1/4" socket

 $hexagon\,4\ 4.5\ 5\ 5.5\ 6\ 7\ 8\ 9\ 10\ 11\ 12\ 13\ 50$ 

1/4" screwdriver

bit socket in-hex 3 4 5 6 8 10 | 37 mm

1/4" screwdriver

bit socket slotted 5.5 6.5 | 37 mm

1/4" screwdriver

bit socket cross-slotted PH 1 2 3 | 37 mm

1/4" screwdriver

bit socket cross-head PZ 1 2 | 37 mm

1/4" socket

TX with hole T10 T15 T20 T25 T27 T30 T40 | 37 mm

1/4" socket extension 100 mm

1/4" sliding T-handle with slide | 115 mm

1/4" universal joint | 32 mm

1/2" 2C lever reversible ratchet

fine-tooth, 72 teeth | 250 mm

1/2" socket

hexagon 10 11 12 13 14 15 16 17 18 19 21 22 23 24 26 27 28 30 32

1/2" screwdriver bit socket

in-hex 6 7 8 9 10 12 14 55 mm

**1/2" spark plug socket** 16 21 mm | 65 mm

**1/2" socket extension** 125 250 mm

**1/2" sliding T-handle** with slide | 250 mm

1/2" universal joint | 66 mm

Adjustable spanner 8" 200 mm






#### R2235 0005 SCREWDRIVER, PLIERS, HAMMER AND CHISEL SET in the 3/3 foam module, 23 pieces

**Combination plier** 180 mm **Side cutter** 160 mm

Bent nose telephone pliers, straight 200 mm

Screwdriver slotted 3 4 5.5 6.5 mm Screwdriver cross-slotted PH 1 2 Screwdriver TX T10 T15 T20 T25 T30 T40

Water pump pliers 10", 250 mm Engineers' hammer 300 g Flat cold chisel 125 mm, 150 mm Cross-cut chisel 125 mm Centre punch 4 mm | 120 mm Pin punch 4 mm | 120 mm Drift punch 3 mm | 150 mm



R2235 0006
RATCHET WRENCH AND
DOUBLE OPEN-ENDED SPANNER SET in the 3/3 foam module, 22 pieces

Ratchet wrench

8 9 10 11 12 13 14 15 16 17 18 19 20 22 mm

Double open ended spanner

6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22 mm



# **R2065** 0066 TOOL CASE

- > Strong impact-resistant plastic case
- > Ease in carrying along tools, documents and equipment in a case
- > Practical, clearly arranged partitioning
- > 1 document folder in lid, fixed with Velcro®, detachable
- > 1 lid tool tool board with pouches on 2 sides
- > 1 bottom tool tool board with pouches on one side
- > Bottom tray with variable dividers (large or small parts)
- > Four plastic feet for stability
- > Lockable metal locks, 2 keys
- > Without tools





Code	No.	Height mm	Width mm	Length mm	Loading	Weight kg
3301660	R20650066	380	445	180	30 kg	4.5

# **R0110** 5008 DOUBLE RING SPANNER SET

#### metric, 8 pieces

- > For unscrewing and tightening screws and nuts
- > 5° offset at the ring ends facilitates work on deeply embedded flat screwed connections
- > Work in confined spaces facilitated by particularly thin-walled rings
- > Being matt satin chrome-plated, the surface is dazzle-free
- > Made from durable chrome-vanadium steel





Code	No.	Contents	Pieces	Weight kg
3300926	R01105008	6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22 mm	8	1.5

# **R0510** 5012 DOUBLE OPEN-ENDED SPANNER SET long, metric, 12 pieces

- > For unscrewing and tightening screws and nuts
- > Optimum transfer of power onto screws with jaw at 15° with long shaft
- > Being matt satin chrome-plated, the surface is dazzle-free
- > Made from durable chrome-vanadium steel





Code	No.	Contents	Pieces	Weight kg
3300960	R05105012	6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22 21x23 24x27 25x28 30x32 mm	12	2.42

# **R0710** 5005 RATCHET WRENCH SET

#### metric, 5 pieces

- > For the controlled, hand-operated unscrewing and tightening of screws and nuts
- > Constantly smooth transfer of power with a return angle of just 5°
- > Optimum transfer of power onto screws with jaw at 15°
- > Being matt satin chrome-plated, the surface is dazzle-free
- > Made from durable chrome-vanadium steel







Code	No.	Contents	Pieces	Weight kg
3300849	R07105005	8 10 13 17 19 mm	5	0.699

# **R0910** 5112 COMBINATION SPANNER SET

#### metric, 12 pieces

- > For unscrewing and tightening square, hex and double hex screws and nuts
- > 15° angled ring side for a constantly smooth transfer of power even at very hard-to-reach places
- > Optimum transfer of power onto screws with jaw at 15°
- > Being matt satin chrome-plated, the surface is dazzle-free
- > Made from durable chrome-vanadium steel







Code	No.	Contents	Pieces	Weight kg
3300992	R09105112	67891011121314171922mm	12	1.1

# **R0750** 1019 DOUBLE BOX RATCHET WRENCH

#### 4in1

- > For the controlled, hand-operated unscrewing and tightening of screws and nuts
- > Buy one tool, cover four sizes
- > Constantly smooth transfer of power with a return angle of just 5°
- > Ratchet with lever change has a bi-directional setting
- > Being matt satin chrome-plated, the surface is dazzle-free
- > Made from durable chrome-vanadium steel







Code	No.	Length mm	Head height 1 mm	Head height 2 mm	Head width 1 mm	Head width 2 mm	Return angle	Number of teeth	Weight kg
3300899	R07501019	210	9	12	26.5	35	5°	72	0.21



# **R0740** 5006 DOUBLE BOX RATCHET WRENCH SET

#### 6 pieces

- > For the controlled, hand-operated unscrewing and tightening of screws and nuts
- > A spanner set for the most popular sizes
- > Constantly smooth transfer of power with a return angle of just 5°
- > Optimum transfer of power onto screws with jaw at 15°
- > Ratchet with lever change has a bi-directional setting
- > Being matt satin chrome-plated, the surface is dazzle-free
- > Made from durable chrome-vanadium steel





Code	No.	Contents	Pieces	Weight kg
3300898	R07405006	8x9 10x11 12x13 14x15 16x18 17x19 mm	6	0.865

# **R0720** 3016 RATCHET WRENCH SET

## with adapters, metric, 16 pieces

- > For the controlled, hand-operated unscrewing and tightening of screws and nuts
- > An extensive spanner set for the most popular sizes in the stable case
- > Constantly smooth transfer of power with a return angle of just 5°
- > Optimum transfer of power onto screws with jaw at 15°
- > Ratchet with lever change has a bi-directional setting
- > Being matt satin chrome-plated, the surface is dazzle-free
- > Made from durable chrome-vanadium steel
- > In rugged plastic case











Code	No.	Contents	Pieces	Weight kg
3300060	R07203016	Combination ratchet spanner 8 9 10 11 12 13 14 15 16 17 18 19 mm Square end drive adapter 1/4" for size 10 mm, 3/8" for size 13 mm, 1/2" for size 19 mm	16	2.1
		Bit adapter 1/4" for size 10mm		

# **RO310** XXXX ADJUSTABLE SPANNER

#### open end

- > Universally deployable and adjustable spanner for screwed connections
- > Optimum transfer of power onto screws with jaw at 15°
- > Millimetre-precision setting with lasered scale
- > Made from durable chrome-vanadium steel





# R3800 4006 HAND-OPERATED IMPACT DRIVER SET 1/2" 6 pieces

- > Hammer-actuating screw remover for extracting stiff screws!
- > Clockwise/anticlockwise rotating direction, reversible
- > 1/2" square drive with ball locking device for sockets
- > 1/2" adapter, snap-on with hex recess drive with retention spring for bits
- > In robust sheet-metal case







# **R3800** 2012 SCREWDRIVER SET XXL 12 pieces

- > Blades of high-grade chrome-molybdenum steel, chrome-plated
- > Driven tips phosphated, corrosion-protected and low-wear
- > Moulded handles form a firm unit with the blades
- > Dual-material handles for a hands-friendly transfer of force
- > 5-edge handle heads stop them rolling off
- > Elongated holes in the handle for hanging up











Code	No.	Contents	Pieces	Weight kg
3301273	R38002012	Slotted screwdriver 3 4 5.5 6.5 8 mm. Cross-head screwdriver PH 1 2	12	0.927
3301273	1130002012	Cross-head screwdriver PZ PZ 1 2, VDE slotted screwdriver 2.5 mm	12	0.527
		VDE cross-head screwdriver PH 1, Voltage tester 3 mm		



**GEDORE BEST CHOICE** 

# SOCKET SET 1/2" + 3/8" + 1/4" **R4560**3172

The solution for all the usual bolting and tightening operations immediately to hand in the workshop and on the road:

1/4", 3/8" and 1/2" screws, nuts and even spark plugs are controllably unscrewed and tightened with the 172 sockets of th4 GEDORE red R45603172 set.

No fewer than three included reversible ratchets make for safer, less tiring work as a result of a highly developed mechanism with 72 teeth, integrated bi-directional rotation and ergonomic 2-component handles.

1 Universal application

Tool and accessories for the workshop and on the road - even including spark plug sockets

Easy carrying by hand
> Lightweight, hand-transportable

 Lightweight, hand-transportable plastic case with clip fittings and secure locks

B Extensive basic equipment

> 172 pcs.


Slackening and tightening of screws, nuts and spark plugs

4 Quality ratchet for non-taxing work

> Precision mechanism with 72 teeth


**>** Low  $5^{\circ}$  catch-up angle

**8**5°





Despite the extensive equipment provided, transport remains easy and storage secure. Robust plastic and a space-saving division save on weight and ensure an orderly arrangement.



# **R4900** 3016 SOCKET SET 1/4" 16 pieces

- > For the controlled, hand-operated unscrewing and tightening of screws and nuts
- > Orderly basic equipment for a multitude of uses in the workshop and on the road
- > 2C reversible ratchet with integrated bi-directional rotation
- > 72 teeth ensure the ratchet is engineered for a constantly smooth transfer of power with a 5° catch-up angle
- > Multi-functional adapter for all bits and tools with 1/4" external hex
- > Sturdy plastic case with metal hinges and lock
- > Clip fitting for orderly arrangement and securing of the sockets
- > Chrome-vanadium steel, matt satin chrome-plated











(	Code	No.	Contents	Length mm	Width mm	Depth mm	Pieces	Weight kg
3	3300050	R49003016	1/4" 2C lever reversible ratchet, fine-toothed, 72 teeth   150 mm 1/4" socket hexagon 4 4.5 5 5.5 6 7 8 9 10 11 12 13 25 mm 1/4" socket extension 100 mm 1/4" sliding T-bar with slider   115 mm Bit adapter 1/4" sock 1 25 mm	190	110	52	16	0.62

# **R4900** 3033 SOCKET SET 1/4"

#### 33 pieces

- > For the controlled, hand-operated unscrewing and tightening of screws and nuts
- > Orderly basic equipment for a multitude of uses in the workshop and on the road
- > 2C reversible ratchet with integrated bi-directional rotation
- > 72 teeth ensure the ratchet is engineered for a constantly smooth transfer of power with a 5° catch-up angle
- > Including bit adapter for all bits and tools with 1/4" external hex
- > Sturdy plastic case with metal hinges and lock
- > Clip fitting for orderly arrangement and securing of the sockets
- > Chrome-vanadium steel, matt satin chrome-plated





















Code	No.	Contents	Length mm	Width mm	Depth mm	Pieces	Weight kg
3300051	R49003033	1/4" 2C lever reversible ratchet, fine-toothed, 72 teeth   150 mm 1/4" square plug-in handle 165 mm 1/4" socket hexagon 4 4.5 5 5.5 6 7 8 9 10 11 12 13 25 mm 1/4" screwdriver bit socket in-hex 3 4 5 6   37 mm 1/4" screwdriver bit socket slotted 4 5.5 6.5   37 mm 1/4" screwdriver bit socket cross-head PH 1 2   37 mm 1/4" screwdriver bit socket cross-head PZ 1 2   37 mm 1/4" screwdriver bit socket TX T15 T20 T25 T30   37 mm 1/4" socket extension 50 100 mm 1/4" universal joint   32 mm Bit adapter 1/4" sq. x 1/4" hex   25 mm	300	180	52	33	1.31

# **R6900** 3024 SOCKET SET 1/2"

#### hexagon, 24 pieces

- > For the controlled and hand-operated unscrewing and tightening of screws, nuts and spark plugs
- > Pressed-in holding rubber keeps the spark plug fixed in the socket when being fitted or removed
- > Orderly basic equipment for a multitude of uses in the workshop and on the road
- > 2C reversible ratchet with integrated bi-directional rotation
- > 72 teeth ensure the ratchet is engineered for a constantly smooth transfer of power with a 5° catch-up angle
- > Sturdy plastic case with metal hinges and lock
- > Clip fitting for orderly arrangement and securing of the sockets
- > Chrome-vanadium steel, matt satin chrome-plated















Code	No.	Contents	Length mm	Width mm	Depth mm	Pieces	Weight kg
3300055	R69003024	1/2" 2C lever reversible ratchet, fine-toothed, 72 teeth   250 mm 1/2" socket hexagon 10 11 12 13 14 15 16 17 18 19 20 21 22 24 27 30 32 1/2" spark plug socket 16 21 mm   65 mm 1/2" socket extension 125 250 mm 1/2" universal joint   66 mm 1/2" sliding T bar with slider 250 mm	383	272	80	24	4.43

# **R4560** 3172 SOCKET SET 1/2" + 3/8" + 1/4" 172 pieces

- > For the controlled and hand-operated unscrewing and tightening of screws, nuts and spark plugs
- > Pressed-in holding rubber keeps the spark plug fixed in the socket when being fitted or removed
- > Orderly, ample equipment for a multitude of uses in the workshop and on the road
- > 2C reversible ratchet with integrated bi-directional rotation for ease in tightening
- > 72 teeth ensure the ratchet is engineered for a constantly smooth transfer of power with a 5° catch-up angle
- > Including bit adapter for all bits and tools with 1/4" external hex
- > Sturdy plastic case with metal hinges and lock
- > Clip fitting for orderly arrangement and securing of the sockets
- > Chrome-vanadium steel, matt satin chrome-plated






































Code	No.	Contents	Length mm	Width mm	Depth mm	Pieces	Weight kg
3300058	R45603172	1/4" Scl ver reversible ratchet, fine-toothed, 72 teeth   150 mm  1/4" socket hexagon 4.5 5 7.8 9 10   50 mm  1/4" socket hexagon 4.5 6 7.8 9 10   50 mm  1/4" socket hexagon 4.5 6 7.8 9 10   50 mm  1/4" socket hexagon 4.5 6 7.8 9 10   50 mm  1/4" screwdriver bit socket in-hex 4.4 5 6   37 mm  1/4" screwdriver bit socket socket socket 6.5 7   37 mm  1/4" screwdriver bit socket cross-head PH 0.1 2   37 mm  1/4" screwdriver bit socket tross-head PH 0.1 2   37 mm  1/4" screwdriver bit socket TX 18 19 T10 T15 T20 T25 T27 T30   37 mm  1/4" screwdriver bit socket TX 18 19 T10 T15 T20 T25 T27 T30   37 mm  1/4" screwdriver bit socket TX 18 19 T10 T15 T20 T25 T27 T30   37 mm  1/4" screwdriver bit socket TX with bore T8 T9 T10 T15 T20 T25 T27 T30   37 mm  1/4" socket extension 50 100 mm  1/4" sliding T-bar with slider   115 mm  1/4" bits TX 15 T5 T6 T7   25 mm, 1/4" bits TX with bore T7   25 mm  1/4" bits TX plus security T10 T15 T20 T25 T27 T30 T40 T45   25 mm  1/4" bits TX plus security T10 T15 T20 T25 T27 T30 T40 T45   25 mm  1/4" bits multi-point XZN M5 M6 M8   25 mm  1/4" bits socket A 10 12   30 mm  5/16" bits iscross-head PH 3 4   30 mm  5/16" bits cross-head PH 3 4   30 mm  5/16" bits cross-head PH 3 4   30 mm  5/16" bits TX 40 T45 T50 T55 T60 T70   30 mm  3/8" socket hexagon 10 11 12 13 14 15 16 17 18 19  3/8" socket hexagon 10 11 12 13 14 15 16 17 18 19  3/8" socket thexagon 10 11 12 13 14 15 16 17 18 19  3/8" socket thexagon 10 11 12 13 14 15 16 17 18 19 20 21 22 24 27 30 32  1/2" socket hexagon 16 17 18 19 22   77 mm  1/2" socket thexagon 16 17 18 19 22   77 mm  1/2" socket thexagon 16 17 18 19 22   77 mm  1/2" socket hexagon 16 17 18 19 22   77 mm  1/2" socket hexagon 16 17 18 19 22   77 mm  1/2" socket thexagon 16 17 18 19 22   77 mm  1/2" socket thexagon 16 17 18 19 22   77 mm  1/2" socket thexagon 16 17 18 19 22   77 mm  1/2" socket thexagon 16 17 18 19 22   77 mm  1/2" socket thexagon 16 17 18 19 22   77 mm  1/2" socket thexagon 16 17 18 19 22   78 mm  1/2" socket thexagon 16 17 18 19 22   78 mm  1/2" soc	452	340	86	172	10.5




**GEDORE** BEST CHOICE

# TORQUE WRENCH RX890 XXXX

The GEDORE red torque wrench with test certification to DIN EN ISO 6789-2:2017 provides controlled screw tightening in four sizes from 20 to 400 N·m, and is the perfect drive tool for socket inserts. Simply switch over the mushroom head to change from clockwise to anti-clockwise rotation. Precise working is guaranteed by the easy-to-use torque adjuster fixed at the end of the handle.







Absolutely dependable in workshop every day operations, the torque wrench is repetition-precise and accurate — thanks to the N·m scale and magnifier and the 1/10 display showing the torque set at a glance.



# **RX890** XXXX TORQUE WRENCH

- > Adjustable torque wrench with push-through square for use with square ratchet-function tools
- > Controlled screw tightening in various sizes from 20 400 Nm
- > Mushroom head switch-over for changing from clockwise to anticlockwise tightening
- > Repetition-accurate and precision-like
- > Torque triggering clearly to be heard and felt
- > Turning the handle for a straightforward torque setting
- > The value set is fixed by means of the lock at the end of the handle
- > Very easily read-off scale with magnifier for Nm, plus 1/10 scale for an exact setting
- > Actuating accuracy: +/- 3 % tolerance of the scale set torque



Code	No.	Version	Square drive inch	Square drive mm	Torque	Vernier N·m	Length mm	Weight kg
3301216	R68900100	Plug-in coupler with serrated head	1/2"	12	20 N·m-100 N·m	0.5	395	1.176
3301217	R68900200	Plug-in coupler with serrated head	1/2"	12	40 N·m-200 N·m	1	485	1.42
3301218	R68900300	Push-through square head with pin	1/2"	12	60 N·m-300 N·m	1	577,5	1.541
3301219	R78900400	Push-through square head with pin	3/4"	20	80 N·m-400 N·m	1	684	2.39

# **R9330** 0031 UNIVERSAL SCISSORS

- > Suitable for cutting seals and other materials (paper, cardboard, foil, leather etc.)
- > Additional small blade for thin wires and cables
- > With wire stripper for 1.0, 1.5 and 2.0 mm cables
- > Locking lever
- > Dual-material handle, for easy handling
- > Blade of stainless steel



Code	No.	Cutting edge length mm	Length mm	Weight kg
3301607	R93300031	50	205	0.19

# **R9331** XXXX IDEAL PATTERN SNIPS

- > Self-opening with installed spring, with lock
- > Induction-hardened precision cutting edges
- > Dual-material handle, for easy handling
- > Made of special tool steel



Code	No.	Version	Length inch	Length mm	Weight kg
3301741	R93310041	Right hand cutting	10	245	0.41
3301742	R93310141	Straight cutting	10	250	0.41
3301743	R93310241	Left hand cutting	10	245	0.41

# **R9320** 0018 UTILITY KNIFE

- > Blade 18 mm wide
- > Plastic housing
- > Metal blade guide
- > One-handed operation
- > For right-handers
- > Supplied with 5 spare blades (100mm long, 0.4mm thick)
- > Blade cartridge
- > With built-in sharpener








# **R9320** 0025 UTILITY KNIFE

- > Practical belt clip
- > Blade 25 mm wide
- > Plastic housing
- > Metal blade guide
- > One-handed operation
- > For right-handers
- > Supplied with 5 spare blades (125mm long, 0.5mm thick)
- > Blade cartridge






# **R9335** 0051 MULTIFUNCTION SAW

- > Multifunctional:
- > Saw blade and bow can be turned through 90° = saw blade parallel to the wall and floor
- Bow can be turned through 180° = low height for use in tight spaces
- > Very lightweight
- > Hand protection
- > Dual-material handle, for easy handling
- > Supplied with HSS bi-metal saw blade (24 tpi)
- > For Metal, Plastic, Wood, etc.





Code	No.	Length mm	Weight kg
3301608	R93350051	300	0.47



# **R9000** 0006 **CHISEL AND PUNCH SET**

### **б** pieces

- > Striking ends tempered
- > Shaft copper, tip paint-coated in silver
- > Made from chrome-vanadium steel
- > In metal case













Code	No.	Contents	Length mm	Width mm	Depth mm	Pieces	Weight kg
3300826	R90000006	Flat cold chisel- length 125 mm 150 mm, Cross-cut chisel- length 125 mm Drift punch - Ø 3 mm, Centre punch - Ø 4 mm, Pin punch - Ø 4 mm	175	112	26	6	0.76

# **R9020** 0006 PIN PUNCH SET

### 6 pieces

- > Striking ends tempered
- > Shaft copper, tip paint-coated in silver
- > Made from chrome-vanadium steel
- > In metal case with lid





Code	No.	Contents	Length mm	Width mm	Depth mm	Pieces	Weight kg
3300823	R90200006	Ø345678mm	175	112	26	6	0.8

# **R9455** XXXX TAPE MEASURE

- > Housing from 2-component ABS, fitted out with metal clip
- > Nylon-coated tape measure, abrasion resistant, waterproof, yellow paint finish
- > mm-division in black
- > Decimals highlighted in red
- > Automatic tape rewind and lock
- > Magnetic stop
- > Accuracy class II with MID certificate




Code	No.	Length mm	Band width mm	Weight kg
3301427	R94550003	3	19	0.201
3301428	R94550005	5	19	0.265
3301429	R94550008	8	25	0.468

# **R9530** 0017 TORCH

- > Aluminium housing
- > Delivery without batteries (3x Type AAA)
- Hanger
- > 2 levels of brightness plus warning/signal function
- > 1 W LED
- > Luminous flux 55-60 lm
- > Light range 25-30 m
- > Technical specifications subject to modifications



Code	No.	Depth mm	Weight kg
3301755	R95300017	130	0.156



# **R9570** 0023 WORK LAMP

- > Powerful, centred illumination from integrated lamp in the head (50 Lumen) and LED light band (160 Lumen)
- > The magnetic base rotating through six stages up to 180°, rotating hooks with a 360° rotation range and the integrated belt clip ensure a wide range of attachment possibilities
- > Small, lightweight and handy with a 2.5-hour charging time for approx. 3 hours of illumination



Code	No.	Height mm	Width mm	Depth mm	Weight kg
3300002	R95700023	155	40	20	0.132



**TOOLS FOR LIFE** 

#### GEDORE Werkzeugfabrik GmbH & Co. KG

Remscheider Straße 149 42899 Remscheid · GERMANY Tel. + 49 (0) 21 91 - 596 - 0 Fax + 49 (0) 21 91 - 596 - 230 info@gedore.com www.gedore.com

Vertrieb Deutschland Tel. + 49 (0) 21 91- 596 - 900 Fax + 49 (0) 21 91- 596 - 999

Sales International Tel. + 49 (0) 21 91- 596 - 910 Fax + 49 (0) 21 91- 596 - 911

#### GEDORE Automotive GmbH

Breslauer Straße 41 78166 Donaueschingen · GERMANY Tel. +49 771 83223-0 Fax +49 771 83223-90

#### **GEDORE Torque Solutions GmbH**

Bertha-Benz-Straße 12 71665 Vaihingen/Enz - GERMANY T +49 7042 9441-0 F +49 7042 9441-41 info@loesomat.de

#### **GEDORE AUSTRIA GmbH**

Gedore-Str. 1 8190 Birkfeld / Stmk. · AUSTRIA Tel. +43 (0) 3174 / 363 64 00 Fax +43 (0) 3174 / 363 83 20 sales.austria@gedore.com www.gedore.at

#### GEDORE IBÉRICA S.L.

c/Arangutxi 12, Poligono Industrial de Júndiz 01015 Vitoria Alava · SPAIN Tel. +34-945-29 22 62 Fax +34-945-29 21 99 gedore@gedore.es www.gedore.es

#### **GEDORE UK Limited**

Marton Street , SKIPTON BD23 1TF North Yorkshire · UNITED KINGDOM Tel. +44 (0) 1756 / 70 67 00 Fax +44 (0) 1756 / 7980 83 sales@gedoreuk.com www.gedoreuk.com

#### **GEDORE France SARL**

Parc d'activités des Béthunes - La Mare II
10, avenue du Fief - Båt. 12
BP 79144 Saint-Ouen-l'Aumône
F-95074 Cergy Pontoise Cedex · FRANCE
Tél. +33 (0)1 34 40 16 60
Fax +33 (0)1 34 40 16 61
jadore@gedore.fr
www.gedore.fr

#### **GEDORE TECHNAG B.V.**

Flemingweg 7, 2408 AV Alphen aan den Rijn · NETHERLANDS Tel. +31 (0) 172 / 42 73 50 Fax +31 (0) 172 / 42 73 60 technag@gedore.nl www.qedore.nl

#### GEDORE POLSKA Sp. z o.o.

ul. Žwirki i Wigury 56a 43-190 Mikołów · POLAND Tel. +48 (0) 32 / 738-40 10 Fax +48 (0) 32 / 738-40 20 gedore@gedore.pl www.gedore.pl

#### Ferramentas GEDORE do Brasil S.A.

Rua Vincentina Maria Fidélis, 275 Bairro Vincentina | Vicentina São Leopoldo - RS | 93025-340 · BRAZIL Tel. +55 51-35 89 9200 Fax + 55 51-35 89 9222 export@gedore.com.br www.gedore.com.br

#### **GEDORE TOOLS, INC.**

7187 Bryhawke Circle, Suite 700 NORTH CHARLESTON, SC 29418 · USA Tel. +1-843/225 50 15 Fax +1-843/225 50 20 info@gedoretools.com www.gedoretools.com

#### GEDORE Tool Trading (Shanghai) Co., Ltd.

1/F., Block 2, 1358 Pingan Road, Minhang, Shanghai · CHINA 201109 Tel. +86-21-3388 7258 Fax +86-21-3388 7259 Service Hotline: 400 880 1858 info@gedore.cn www.gedore.cn

#### GEDORE Tools S.A. (Pty) Ltd.

103 Qashana Khuzwayo (Shepstone) Road, New Germany, 3610 - South Africa PO Box 68, New Germany, 3620 SOUTH AFRICA Tel. +27 (0) 31 / 705 3587 Fax +27 (0) 31 / 705 32770 general@gedoresa.co.za www.gedore.co.za

#### GEDORE (INDIA) Private Limited

148, Sector 3, IMT Manesar Gurgaon — 122051 Haryana · INDIA Tel. +91 (0) 124 22910 — 65/66/67 Fax +91 124 2341067 sales@gedoreindia.com www.gedore.in

# GEDORE MIDDLE EAST

The One Tower, 39th Floor, Office #3923 Sheikh Zayed Road Dubai · U.A.E Tel. +971 4 2462923 info@gedore.ae

#### **GEDORE TOOL CENTER 000**

4.-ya Magistralnaja H11/1 123007 Moscow · RUSSIA Tel. 8 800 100 58 96 (free from Russia) Tel. +7 (499) 754 7000 Fax +7 (8) 985 22 99 88 0 sales@gedoretools.ru

#### **Brands of the GEDORE Group**

gedore.com · ochsenkopf.com

gedore.com

Your dealer / stamp:

IMPULSE TOOL PROMOTION valid from 01/04/2020 until 31/07/2020.
While stocks last.



Delivery without decoration. Technical specifications subject to modifications.

No liability for printing errors. Please ask your local dealer.